## **Pediatric Rheumatology**



Poster presentation

**Open Access** 

## Attacks of severe dysmenorrhea as the sole manifestation of Familial Mediterranean Fever (FMF)

A Vitale\*1, F La Torre1, C Caruso2, C Fede1 and G Calcagno1

Address: <sup>1</sup>Department of Pediatrics, Pediatric Rheumatology, Messina, Italy and <sup>2</sup>Department of Gynecological, Obstetrical Sciences and Reproductive Medicine, Messina, Italy

\* Corresponding author

from 15th Paediatric Rheumatology European Society (PreS) Congress London, UK. 14–17 September 2008

Published: 15 September 2008

Pediatric Rheumatology 2008, 6(Suppl 1):P177 doi:10.1186/1546-0096-6-S1-P177

This abstract is available from: http://www.ped-rheum.com/content/6/S1/P177

© 2008 Vitale et al; licensee BioMed Central Ltd.

Familial Mediterranean Fever (FMF) is an autosomal recessive disease (MEFV gene) characterized by recurrent fever and inflammatory serositis. Although majority of patients have random pattern of attacks, some reports described precipitating factors. A literature review indicated that FMF attacks occurring only during menstruation are rarely seen. We report the cases of three patients with severe dysmenorrhoic pain as unusual clinical presentation of FMF. They were 3 females with a mean age at onset of 12 years. They never had typical attacks of fever and abdominal or chest pain, but they suffered from regular and severe dysmenorrhoic pain. Leukocytosis and Creactive protein (CRP) elevation were noted during these attacks in all patients. Unlike dysmenorrhoea, none of these patients' attacks responded to non-steroidal antiinflammatory drugs. The diagnosis of FMF was based on typical clinical and laboratory features. On investigation of MEFV, M694V was the most frequent mutation

All patients responded well to colchicine, and amyloidosis was not documented in any patients.

In conclusion, we suggest that gynecologists must be aware of FMF in the differential diagnosis of dysmenorrhoea or endometriosis especially in the people of Mediterranean origin.[1]

## References

 Akar S, Soyturk M, Onen F, Tunca M: The relations between attacks and menstrual periods and pregnancies of familial Mediterranean fever patients. Rheumatol Int 2006, 26(7):676-9.